

Date: October 2020

## **Dimension Tolerances Change of SLEC-B-EL: Clamping Screws with Eccentric Heads**

Dear Valued Customer,

We hope you are doing well and appreciate your constant business support of NBK. The guide portion ("d" in the following dimension drawing) and mount fit tolerance for clamping screws with eccentric heads "SLEC-B-EL (guide type, electroless nickel plating)" listed in the [NBK Catalog 2017] will be changed as follows. We understand this change may bothersome but we appreciate your understanding.


### **[ Target Products ]**

<b>Product Name Series Part Number (Type)</b>	<b>NBK Catalog 2017 Listed Page</b>
Clamping Screws with Eccentric Head SLEC-B-EL (Guide type, Electroless nickel plating)	p.705-706

### [ Information about Changes ]


The fit tolerances between the guide and mount will be changed due to manufacturing reasons.

- Guide diameter (d) tolerance for SLEC-B-EL



	Before Change	After Change
SLEC-M3-B-EL	g7	+0.008
SLEC-M4-B-EL		-0.016
SLEC-M5-B-EL		
SLEC-M6-B-EL		+0.007
SLEC-M8-B-EL		-0.020

- Mounting bore diameter (B) tolerance



	Before Change	After Change
SLEC-B-EL All Sizes	H8	F8

**[ Change Effective Period ]**

Starting with orders received from October 7, 2020 (Wednesday)

Note that we will not offer returns/exchanges as a result of this change.

Thank you for your understanding.

Please do not hesitate to contact us at [info.us@nbk1560.com](mailto:info.us@nbk1560.com), if you have any questions.

Sincerely yours,

Hiroki Goto

Engineering Manager

NBK America LLC

307 East Church Road, Suite 7,

King of Prussia, PA 19406

[www.nbk1560.com](http://www.nbk1560.com)

Tel: +1(484)-685-7500

Fax: +1(484)-685-7600

Email: [info.us@nbk1560.com](mailto:info.us@nbk1560.com)